

**Neshanic River Watershed Restoration and Protection Plan
Biweekly & Additional Bacteria Sampling**

Location	Date	Discharge (cfs)	pH (SU)	temperature (°C)	DO (mg/L)	<i>E. coli</i> (org./100 ml)	Fecal Coliform (col/100 ml)	NH3-N (mg/L)	NO2-N (mg/L)	NO3-N (mg/L)	DOP (mg/L)	TP (mg/L)	TKN (mg/L)	TSS (mg/L)				
UNT2	06/14/07	0.22	6.65	16.4	7.45	700	940	0.070	0.02	ND	1.20	0.03	0.05	0.35	2.00			
UNT2	06/19/07	0.05				820	1,000											
UNT2	06/20/07	1.33	6.57	21.2	6.79	25,000	24,000	0.080	0.02	ND	1.26	0.05	0.15	0.59	11.00			
UNT2	06/26/07	0.24				2,500	2,800											
UNT2	06/27/07	0.09				3,200	3,200											
UNT2	07/05/07	1.16	7.01	19.3	6.73	7,400	10,800	0.025	ND	0.02	ND	1.35	0.04	0.10	0.24	3.50		
UNT2	07/10/07																	
UNT2	07/11/07	0.17				410	280											
UNT2	07/18/07	0.04	6.69	21.9	5.73	2,500	1,600	0.025	ND	0.02	ND	1.31	0.03	0.10	0.38	12.50		
UNT2	07/25/07	0.24				620	740											
UNT2	07/31/07	0.15				390	420											
UNT2	08/01/07	0.11				300	390											
UNT2	08/08/07	0.01	6.66	24.0	5.69	360	300	0.025	ND	0.02	ND	1.19	0.03	0.08	0.48	11.50		
UNT2	08/15/07	0.00				20	200											
UNT2	08/22/07	2.30	7.25	16.7	10.08	1,600	5,500	0.025	ND	0.02	ND	1.96	0.06	0.09	0.84	3.50		
UNT2	08/29/07	0.13				140	220											
UNT2	09/12/07	0.08	6.73	19.4	5.85	2,000	1,200	0.025	ND	0.02	ND	1.21	0.05	0.07	0.56	0.50		
UNT2	09/26/07	0.00	6.56	16.7	3.63	1,800	1,700	0.070	0.02	ND	1.13	0.03	0.29	1.35	110.00			
UNT2	10/10/07	0.19	6.93	18.6	5.60	76,000	44,000	0.070	0.02	ND	2.09	0.17	0.25	1.42	4.50			
UNT2	10/24/07	0.13	6.87	17.9	5.80	480	130	0.070	0.02	ND	1.56	0.04	0.08	0.53	1.00			
UNT2	11/07/07	0.67	6.93	6.6	11.85	560	940	0.090	0.02	ND	2.06	0.02	0.04	0.47	0.50			
UNT2	11/14/07	0.33	6.21	5.4	11.93	5 ND	40	0.025	ND	0.02	ND	1.77	0.005	ND	0.03	0.46	0.25	ND
<i>n</i>			12	12	12	21	21	12	12	12	12	12	12	12	12	12	12	12
<i>minimum</i>			6.21	5.4	3.63	5	40	0.025	0.02	1.13	0.005	0.03	0.24	0.25	0.25	0.25	0.25	0.25
<i>maximum</i>			7.25	24.0	11.93	76,000	44,000	0.090	0.02	2.09	0.170	0.29	1.42	4.50	110.00	110.00	110.00	110.00
<i>mean</i>			6.75	17.0	7.26	855	1,065	0.050	0.02	1.51	0.046	0.11	0.64	13.40	13.40	13.40	13.40	13.40
<i>std. dev.</i>			0.27	5.6	2.63	16,919	10,507	0.027	0.00	0.37	0.042	0.08	0.38	30.76	30.76	30.76	30.76	30.76
<i>median</i>			6.71	18.3	6.29	700	940	0.048	0.02	1.33	0.04	0.09	0.51	3.50	3.50	3.50	3.50	3.50

█ = violation of surface water quality standard (SWQS)
ND = non-detect; 1/2 the detection limit provided

Neshanic River Watershed Restoration and Protection Plan
Biweekly & Additional Bacteria Sampling

Location	Date	Discharge (cfs)	pH (SU)	temperature (°C)	DO (mg/L)	<i>E. coli</i> (org./100 ml)	Fecal Coliform (col/100 ml)	NH3-N (mg/L)	NO2-N (mg/L)	NO3-N (mg/L)	DOP (mg/L)	TP (mg/L)	TKN (mg/L)	TSS (mg/L)
UNT1	06/14/07	0.00	6.64	16.5	6.49	560	650	0.080	0.02 ND	1.45	0.05	0.07	0.37	1.50
UNT1	06/19/07	0.09				860	1,100							
UNT1	06/20/07	1.13	6.12	21.2	5.30	32,000	24,000	0.090	0.02 ND	1.17	0.09	0.17	0.58	6.00
UNT1	06/26/07	0.07				260	460							
UNT1	06/27/07	0.32				400	520							
UNT1	07/05/07	0.53	6.68	19.7	5.69	16,000	11,800	0.080	0.02 ND	1.22	0.07	0.15	0.40	4.00
UNT1	07/10/07													
UNT1	07/11/07	0.29				490	840							
UNT1	07/18/07	0.24	6.88	22.7	5.36	50	40	0.060	0.02 ND	0.98	0.03	0.10	0.49	3.50
UNT1	07/25/07	0.23				350	500							
UNT1	07/31/07	0.22				180	180							
UNT1	08/01/07	0.19				190	280							
UNT1	08/08/07	0.21	6.55	24.2	4.27	100	80	0.025 ND	0.02 ND	1.23	0.04	0.11	1.46	7.00
UNT1	08/15/07	0.04				40	60							
UNT1	08/22/07	2.21	6.86	16.9	8.27	470	700	0.025 ND	0.02 ND	2.39	0.10	0.14	1.12	0.25
UNT1	08/29/07	0.04				100	120							
UNT1	09/12/07	0.05	6.38	19.3	4.03	2,100	800	0.025 ND	0.02 ND	1.43	0.12	0.12	0.82	8.50
UNT1	09/26/07	0.00	6.80	16.7	4.04	280	740	0.050	0.02 ND	0.94	0.03	0.11	1.37	35.00
UNT1	10/10/07	0.00	6.73	18.2	3.82	23,000	9,500	0.060	0.02 ND	2.35	0.20	0.27	1.24	5.50
UNT1	10/24/07	0.00	6.75	17.4	4.11	120	10	0.100	0.02 ND	2.13	0.05	0.07	0.54	0.25 ND
UNT1	11/07/07	0.00	6.72	7.3	10.53	220	180	0.025 ND	0.02 ND	2.60	0.05	0.06	0.57	3.00
UNT1	11/14/07	0.00	6.35	6.2	10.70	5 ND	28	0.100	0.02 ND	2.86	0.03	0.03	0.44	0.25 ND
<i>n</i>		12		12	12	21	21	12	12	12	12	12	12	12
<i>minimum</i>		6.12		6.2	3.82	5	10	0.025	0.02	0.94	0.030	0.03	0.37	0.25
<i>maximum</i>		6.88		24.2	10.70	32,000	24,000	0.100	0.02	2.86	0.200	0.27	1.46	35.00
<i>mean</i>		6.62		17.2	6.05	390	401	0.060	0.02	1.73	0.072	0.12	0.78	6.23
<i>std. dev.</i>		0.23		5.5	2.49	8,739	5,825	0.030	0.00	0.69	0.050	0.06	0.40	9.47
<i>median</i>		6.70		17.8	5.33	280	500	0.060	0.02	1.44	0.05	0.11	0.58	3.75

█ = violation of surface water quality standard (SWQS)
 ND = non-detect; 1/2 the detection limit provided

**Neshanic River Watershed Restoration and Protection Plan
Biweekly & Additional Bacteria Sampling**

Location	Date	36 hr. rainfall*													
		total (in)	Discharge (cfs)	pH (SU)	temperature (°C)	DO (mg/L)	<i>E. coli</i> (org./100 ml)	Fecal Coliform (col/100 ml)	NH3-N (mg/L)	NO2-N (mg/L)	NO3-N (mg/L)	DOP (mg/L)	TP (mg/L)	TKN (mg/L)	TSS (mg/L)
N1	06/14/07	0.03	3.34	6.61	17.5	6.95	490	690	0.080	0.02 ND	0.83	0.05	0.07	0.42	2.50
N1	06/19/07	0.00	1.36				430	520							
N1	06/20/07	0.60	21.41	6.11	21.9	5.47	18,000	18,000	0.060	0.02 ND	0.80	0.08	0.19	0.59	8.00
N1	06/26/07	0.39	2.51				240	580							
N1	06/27/07	0.00	3.37				300	380							
N1	07/05/07	0.75	17.34	6.58	21.0	6.27	4,000	6,400	0.025 ND	0.02 ND	0.69	0.03	0.10	0.21	4.50
N1	07/10/07	0.00	2.56	7.50	25.3	6.96									
N1	07/11/07	0.00	3.26				320	260							
N1	07/18/07	0.11	1.50	7.00	25.0	4.23	150	100	0.025 ND	0.02 ND	0.01 ND	0.04	0.09	0.15	1.50
N1	07/25/07	0.00	2.10				220	320							
N1	07/31/07	0.01	2.09				240	300							
N1	08/01/07	0.00	1.04				320	60							
N1	08/08/07	0.09	0.44	7.30	26.0	4.72	130	300	0.025 ND	0.02 ND	0.01 ND	0.05	0.11	0.62	3.50
N1	08/15/07	0.00	0.28				60	50							
N1	08/22/07	1.06	40.75	6.38	16.6	10.03	900	4,400	0.025 ND	0.02 ND	1.18	0.10	0.14	0.71	2.50
N1	08/29/07	0.00	1.86				110	70							
N1	09/12/07	0.00	3.14	6.91	20.0	5.87	2,300	1,100	0.025 ND	0.02 ND	0.65	0.06	0.10	0.45	1.50
N1	09/26/07	0.00	0.08	7.27	19.6	5.83	50	40	0.025 ND	0.02 ND	0.01 ND	0.01	0.03	0.62	2.50
N1	10/10/07	0.53	2.71	7.01	18.8	4.72	26,000	12,000	0.080	0.02 ND	0.99	0.12	0.17	1.00	2.50
N1	10/24/07	0.08	1.53	7.03	18.5	5.63	180	90	0.130	0.02 ND	0.84	0.07	0.10	0.46	0.50
N1	11/07/07	0.16	5.80	6.25	6.9	12.00	340	320	0.060	0.02 ND	1.61	0.04	0.07	0.51	0.50
N1	11/14/07	0.04	3.73	6.50	5.6	12.22	150	52	0.070	0.02 ND	1.34	0.02	0.04	0.41	0.25 ND
<i>n</i>		22		13	13	13	21	21	12	12	12	12	12	12	12
<i>minimum</i>		0.00		6.11	5.6	4.23	50	40	0.025	0.02	0.01	0.010	0.03	0.15	0.25
<i>maximum</i>		1.06		7.50	26.0	12.22	26,000	18,000	0.130	0.02	1.61	0.120	0.19	1.00	8.00
<i>mean</i>		0.18		6.79	18.7	6.99	429	402	0.053	0.02	0.75	0.056	0.10	0.51	2.52
<i>std. dev.</i>		0.30		0.43	6.3	2.69	6,631	4,639	0.034	0.00	0.52	0.032	0.05	0.22	2.14
<i>median</i>		0.02		6.91	19.6	5.87	300	320	0.043	0.02	0.82	0.05	0.10	0.49	2.50

█ = violation of surface water quality standard (SWQS)

ND = non-detect; 1/2 the detection limit provided

*Rainfall data from Medow Run, Flemington, NJ N40°30'39", W74°48'18"

Neshanic River Watershed Restoration and Protection Plan
Biweekly & Additional Bacteria Sampling

Location	Date	Discharge (cfs)	pH (SU)	temperature (°C)	DO (mg/L)	<i>E. coli</i> (org./100 ml)	Fecal Coliform (col/100 ml)	NH3-N (mg/L)	NO2-N (mg/L)	NO3-N (mg/L)	DOP (mg/L)	TP (mg/L)	TKN (mg/L)	TSS (mg/L)
FN1	06/14/07	0.07	6.67	17.2	7.10	800	840	0.025 ND	0.02 ND	0.82	0.10	0.14	0.30	3.50
FN1	06/19/07	0.03				360	500							
FN1	06/20/07	1.54	6.61	21.1	6.11	6,600	17,000	0.100	0.02 ND	0.89	0.08	0.15	0.36	3.50
FN1	06/26/07	0.04				460	540							
FN1	06/27/07	0.03				720	800							
FN1	07/05/07	2.18	6.76	20.7	6.43	4,800	9,800	0.025 ND	0.02 ND	0.77	0.05	0.11	0.29	4.50
FN1	07/10/07													
FN1	07/11/07	0.05	7.18	24.5	4.98	370	1,700							
FN1	07/18/07	0.01	6.77	23.6	4.70	19,000	16,000	0.080	0.02 ND	1.17	0.08	0.17	0.84	3.00
FN1	07/25/07	0.02				2,900	380							
FN1	07/31/07	0.05				290	340							
FN1	08/01/07	0.05				280	440							
FN1	08/08/07	0.01	7.75	27.3	9.18	200	580	0.025 ND	0.02 ND	0.01 ND	0.03	0.19	1.01	7.50
FN1	08/15/07	0.00				10	50							
FN1	08/22/07	5.67	7.12	17.5	10.05	560	800	0.025 ND	0.02 ND	1.13	0.06	0.08	0.52	0.50
FN1	08/29/07	0.00				410	420							
FN1	09/12/07	0.00	6.96	20.2	5.95	840	1,000	0.080	0.02 ND	1.03	0.12	0.17	0.65	3.50
FN1	09/26/07	0.00	6.82	19.6	4.82	360	2,100	0.260	0.02 ND	0.70	0.04	0.10	1.35	16.00
FN1	10/10/07	0.00	7.04	18.7	5.47	46,000	23,000	0.100	0.02 ND	2.03	0.28	0.37	1.22	36.00
FN1	10/24/07	0.00	6.91	18.4	4.62	200	110	0.100	0.02 ND	0.58	0.06	0.10	0.34	1.00
FN1	11/07/07	0.18	6.67	8.6	10.95	370	300	0.025 ND	0.02 ND	0.92	0.04	0.04	0.36	4.00
FN1	11/14/07	0.00	5.56	6.9	10.86	120	2 ND	0.080	0.02 ND	0.48	0.05	0.07	0.22	1.00
<i>n</i>			13	13	13	21	21	12	12	12	12	12	12	12
<i>minimum</i>			5.56	6.9	4.62	10	2	0.025	0.02	0.01	0.03	0.04	0.22	0.50
<i>maximum</i>			7.75	27.3	10.95	46,000	23,000	0.260	0.02	2.03	0.28	0.37	1.35	36.00
<i>mean</i>			6.82	18.8	7.02	678	733	0.077	0.02	0.88	0.08	0.14	0.62	7.00
<i>std. dev.</i>			0.49	5.7	2.40	10,502	6,715	0.066	0.00	0.48	0.07	0.09	0.39	10.02
<i>median</i>			6.82	19.6	6.11	410	580	0.080	0.02	0.86	0.06	0.13	0.44	3.50

█ = violation of surface water quality standard (SWQS)
 ND = non-detect; 1/2 the detection limit provided

Neshanic River Watershed Restoration and Protection Plan
Biweekly & Additional Bacteria Sampling

Location	Date	Discharge (cfs)	pH (SU)	temperature (°C)	DO (mg/L)	<i>E. coli</i> (org./100 ml)	Fecal Coliform (col/100 ml)	NH3-N (mg/L)	NO2-N (mg/L)	NO3-N (mg/L)	DOP (mg/L)	TP (mg/L)	TKN (mg/L)	TSS (mg/L)
SN1	06/14/07	0.75	6.96	17.5	6.84	490	540	0.090	0.02 ND	0.79	0.05	0.08	0.33	4.00
SN1	06/19/07	0.38				420	280							
SN1	06/20/07	4.55	6.23	21.0	6.38	17,000	6,800	0.060	0.02 ND	0.99	0.06	0.14	0.29	14.00
SN1	06/26/07	0.67				200	200							
SN1	06/27/07	0.38				400	120							
SN1	07/05/07	1.76	6.79	20.4	5.71	3,300	4,800	0.025 ND	0.02 ND	0.70	0.04	0.12	0.41	4.50
SN1	07/10/07													
SN1	07/11/07	0.41	7.67	25.6	6.58	270	380							
SN1	07/18/07	0.50	7.14	24.3	6.47	410	760	0.025 ND	0.02 ND	0.01 ND	0.04	0.11	0.19	0.25 ND
SN1	07/25/07	0.42				360	300							
SN1	07/31/07	0.29				500	980							
SN1	08/01/07	0.18				280	260							
SN1	08/08/07	0.08	7.25	27.2	5.50	110	180	0.025 ND	0.02 ND	0.39	0.05	0.10	0.43	4.50
SN1	08/15/07	0.02				40	250							
SN1	08/22/07	6.41	6.95	16.7	9.91	680	800	0.025 ND	0.02 ND	0.94	0.07	0.12	0.67	2.50
SN1	08/29/07	0.39				20	5,900							
SN1	09/12/07	0.38	6.20	20.4	5.88	2,600	4,300	0.070	0.20 ND	0.68	0.08	0.12	0.52	4.00
SN1	09/26/07	0.00	7.04	19.7	6.66	250	400	0.060	0.20 ND	0.43	0.05	0.05	0.47	2.00
SN1	10/10/07	0.74	6.78	18.8	3.24	38,000	12,000	0.290	0.02 ND	1.04	0.17	0.28	1.29	1.00
SN1	10/24/07	0.34	7.22	18.2	7.20	180	210	0.050	0.02 ND	0.53	0.07	0.12	0.28	0.50
SN1	11/07/07	1.67	6.90	7.3	11.42	420	480	0.070	0.02 ND	1.23	0.03	0.06	0.36	3.00
SN1	11/14/07	1.55	6.16	6.2	11.21	210	2 ND	0.060	0.02 ND	1.07	0.01	0.06	0.28	0.25 ND
<i>n</i>			13	13	13	21	21	12	12	12	12	12	12	12
<i>minimum</i>			6.16	6.2	3.24	20	2	0.025	0.02	0.01	0.01	0.05	0.19	0.25
<i>maximum</i>			7.67	27.2	11.42	38,000	12,000	0.290	0.20	1.23	0.17	0.28	1.29	14.00
<i>mean</i>			6.85	18.7	7.15	468	539	0.071	0.05	0.73	0.06	0.11	0.46	3.38
<i>std. dev.</i>			0.45	6.2	2.34	8,788	3,115	0.072	0.07	0.35	0.04	0.06	0.29	3.72
<i>median</i>			6.95	19.7	6.58	400	400	0.060	0.02	0.75	0.05	0.12	0.39	2.75

█ = violation of surface water quality standard (SWQS)
 ND = non-detect; 1/2 the detection limit provided

Neshanic River Watershed Restoration and Protection Plan
Biweekly & Additional Bacteria Sampling

Location	Date	Discharge (cfs)	pH (SU)	temperature (°C)	DO (mg/L)	<i>E. coli</i> (org./100 ml)	Fecal Coliform (col/100 ml)	NH3-N (mg/L)	NO2-N (mg/L)	NO3-N (mg/L)	DOP (mg/L)	TP (mg/L)	TKN (mg/L)	TSS (mg/L)
TN3	06/14/07	3.25	7.78	17.2	8.19	370	370	0.025 ND	0.02 ND	1.23	0.05	0.07	0.38	0.25 ND
TN3	06/19/07	0.94				430	600							
TN3	06/20/07	8.98	6.18	21.8	6.09	4,000	5,200	0.100	0.02 ND	1.10	0.06	0.14	0.35	21.00
TN3	06/26/07	1.62				280	800							
TN3	06/27/07	1.18				220	560							
TN3	07/05/07	4.72	6.89	20.2	6.47	2,200	4,600	0.025 ND	0.02 ND	0.83	0.03	0.10	0.33	6.00
TN3	07/10/07	1.83	7.48	25.0	8.30									
TN3	07/11/07	1.82				270	360							
TN3	07/18/07	0.92				670	1,200	0.025 ND	0.02 ND	0.46	0.04	0.12	0.30	5.00
TN3	07/25/07	1.25				280	520							
TN3	07/31/07	0.81				230	380							
TN3	08/01/07	0.43				260	640							
TN3	08/08/07	0.22	7.25	26.2	5.38	230	100	0.025 ND	0.02 ND	0.50	0.06	0.12	0.50	8.50
TN3	08/15/07	0.24				240	260							
TN3	08/22/07	3.33	6.92	16.4	9.75	710	8,800	0.025 ND	0.02 ND	1.34	0.11	0.15	0.83	4.50
TN3	08/29/07	0.64				80	140							
TN3	09/12/07	1.05	5.69	19.8	7.53	560	310	0.025 ND	0.02 ND	0.74	0.05	0.10	0.37	2.50
TN3	09/26/07	0.11	8.35	20.7		260	480	0.025 ND	0.02 ND	0.57	0.02	0.05	0.64	8.00
TN3	10/10/07	1.23	6.53	18.8	5.11	1,600	12,000	0.080	0.02 ND	0.97	0.09	0.08	0.89	3.00
TN3	10/24/07	0.42	7.01	18.3	6.30	500	310	0.025 ND	0.02 ND	1.23	0.11	0.15	0.58	1.00
TN3	11/07/07	2.84	6.81	7.8	11.82	230	220	0.060	0.02 ND	1.74	0.05	0.07	0.45	0.50
TN3	11/14/07	1.99	6.49	6.6	12.01	170	68	0.060	0.02 ND	1.60	0.03	0.04	0.49	1.50
<i>n</i>			12	12	11	21	21	12	12	12	12	12	12	12
<i>minimum</i>			5.69	6.6	5.11	80	68	0.025	0.02	0.46	0.020	0.04	0.30	0.25
<i>maximum</i>			8.35	26.2	12.01	4,000	12,000	0.100	0.02	1.74	0.110	0.15	0.89	21.00
<i>mean</i>			6.91	18.2	7.90	397	613	0.042	0.02	1.03	0.058	0.10	0.51	5.15
<i>std. dev.</i>			0.71	5.9	2.41	918	3,206	0.027	0.00	0.42	0.030	0.04	0.19	5.72
<i>median</i>			6.91	19.3	7.53	280	480	0.025	0.02	1.04	0.05	0.10	0.47	3.75

█ = violation of surface water quality standard (SWQS)

ND = non-detect; 1/2 the detection limit provided

**Neshanic River Watershed Restoration and Protection Plan
Biweekly & Additional Bacteria Sampling**

Location	Date	Discharge (cfs)	pH (SU)	temperature (°C)	DO (mg/L)	<i>E. coli</i> (org./100 ml)	Fecal Coliform (col/100 ml)	NH3-N (mg/L)	NO2-N (mg/L)	NO3-N (mg/L)	DOP (mg/L)	TP (mg/L)	TKN (mg/L)	TSS (mg/L)
TN3a	06/14/07	2.06	7.31	17.6	8.43	1,600	1,630	0.025 ND	0.02 ND	1.36	0.05	0.10	0.37	0.50
TN3a	06/19/07	0.90				2,900	1,700							
TN3a	06/20/07	6.15	6.22	21.8	6.79	6,200	8,200	0.080	0.02 ND	1.33	0.05	0.11	0.19	9.50
TN3a	06/26/07	1.30				570	40							
TN3a	06/27/07	0.93				400	400							
TN3a	07/05/07	4.38	6.77	20.6	7.37	3,400	5,700	0.080	0.02 ND	1.06	0.04	0.11	0.22	7.00
TN3a	07/10/07													
TN3a	07/11/07	1.33				500	560							
TN3a	07/18/07	0.72	7.10	24.2	6.87	1,600	1,200	0.025 ND	0.02 ND	0.60	0.03	0.08	0.16	2.50
TN3a	07/25/07	0.74				310	340							
TN3a	07/31/07	0.59				610	860							
TN3a	08/01/07	0.46				520	880							
TN3a	08/08/07	0.61	7.29	26.7	6.41	230	140	0.025 ND	0.02 ND	0.49	0.05	0.10	0.39	3.50
TN3a	08/15/07	0.22				160	150							
TN3a	08/22/07	3.16	7.02	16.2	10.72	1,400	5,500	0.025 ND	0.02 ND	1.29	0.08	0.13	0.64	4.00
TN3a	08/29/07	0.56				90	140							
TN3a	09/12/07	0.61	5.74	20.5	7.01	250	500	0.070	0.02 ND	0.45	0.04	0.08	0.40	4.50
TN3a	09/26/07	0.05	7.31	20.5	7.23	60	190	0.025 ND	0.02 ND	0.01 ND	0.03	0.08	0.95	13.00
TN3a	10/10/07	2.24	6.61	18.9	5.26	3,900	2,600	0.060	0.02 ND	0.01 ND	0.06	0.10	0.71	0.25 ND
TN3a	10/24/07	0.66	7.08	18.4	6.75	140	90	0.025 ND	0.02 ND	1.24	0.07	0.11	0.48	2.50
TN3a	11/07/07	2.78	6.96	8.0	12.16	300	150	0.060	0.02 ND	1.85	0.05	0.07	0.51	4.00
TN3a	11/14/07	2.09	6.64	6.6	12.62	140	140	0.025 ND	0.02 ND	1.58	0.02	0.05	0.35	6.50
<i>n</i>			12	12	12	21	21	12	12	12	12	12	12	12
<i>minimum</i>			5.74	6.6	5.26	60	40	0.025	0.02	0.01	0.020	0.05	0.16	0.25
<i>maximum</i>			7.31	26.7	12.62	6,200	8,200	0.080	0.02	1.85	0.080	0.13	0.95	13.00
<i>mean</i>			6.82	18.3	8.14	544	543	0.044	0.02	0.94	0.048	0.09	0.45	4.81
<i>std. dev.</i>			0.48	5.9	2.38	1,613	2,238	0.024	0.00	0.61	0.017	0.02	0.23	3.69
<i>median</i>			6.99	19.7	7.12	500	500	0.025	0.02	1.15	0.05	0.10	0.40	4.00

█ = violation of surface water quality standard (SWQS)
 ND = non-detect; 1/2 the detection limit provided